



# Safety Data Sheet

## 1. Product and company identification

|  |                                |
|--|--------------------------------|
| Product name: Powder coatings  |                                |
| Other name: Exterior KL-Series Powder Coatings   |                                |
| Recommended use and restriction on use:  |                                |
| Supplier name: KwoLin Co., Ltd.  |                                |
| Address: No. 19, Gongye 15 <sup>th</sup> Rd., Taiping Dist., Taichung City 411014, Taiwan (R.O.C.) |                                |
| Telephone: +886-4-22716619   |                                |
| Emergency telephone: +886-4-22716619   | Emergency fax: +886-4-22713099 |

## 2. Hazards identification information

Hazard classification of the product: Skin sensitization – Category 1. Aspiration hazard – Category 2

Label format:



GHS07



GHS08

Signal words: Warning

Hazard statements: H319 Serious eye damage / eye irritation

H316 Skin corrosion / irritation

H317 Skin corrosion / irritation

H316g Reproductive toxicity

H335 Aspiration hazard

Precautionary statements: Operating according to the operating instructions. Read and understand all safety precautions before proceeding. Wear protective gloves, protective glasses, protective masks, and protective clothing. Avoid exposure to the environment and avoid inhalation of the dust. Wash hands thoroughly after operation. Contaminated work clothes should not be taken out of the workplace.

## 3. Ingredients identification information



Substances: N/A

Mixture:

| Chemical property: Powder coatings |            |                                       |
|------------------------------------|------------|---------------------------------------|
| Names of hazardous substrates      | CAS No.    | Concentration or concentration ranges |
| Polyester                          | 68238-77-7 | 90 – 97 %                             |
| 1,3,5-Triglycidyl Isocyanurate     | 2451-62-9  | 0 – 10 %                              |
| β-hydroxyalkylamide (HAA)          | 6334-25-4  | 0 – 10 %                              |

Note: Although some substances are listed as constituent for Exterior KL-Series Powder Coatings, they are not present in every color in the series. To find out if a color contains a certain substrate, please contact KwoLin Co., Ltd. for verification.

#### 4. First-aid measures

The first-aid measures of different exposure routes:

- Inhalation: Immediately move the patient to the ventilation and hold his breathing unimpeded. Offering the artificial respiration if patient stop breathing or dyspnea.
- Skin contact: The material is harmless, but it is appropriate to use considerable water to wash. If still having sense of stimulating, please seek medical advice immediately.
- Eye contact: Use considerable water to wash for over 15 minutes and seek medical advice immediately.
- Ingestion: The material is harmless. If any symptom shows, please seek medical advice immediately.

The most important symptoms and hazardous effects: Harmless.

The protection of first-aiders: It is non-toxic. No special protection is required.

Notes to physicians: None.

#### 5. Fire Fighting Measures

Flash point: Not determined.

Lower explosion limit: 30 - 70 % (V)

Upper explosion limit: Not determined.

Thermal decomposition: During a fire, irritating and highly toxic gases and/or fumes may be



generated during combustion or decomposition.

Suitable fire extinguishing media: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Specific hazards may be encountered during fire-fighting: Dusts at sufficient concentrations can form explosive mixtures with air. Wear full protective clothing and self-contained breathing apparatus.

Specific fire-fighting methods: Wear self-contained air breathing apparatus and protective clothing to avoid direct contact with skin and eyes.

Further information: Standard procedure for chemical fires.

## 6. Accidental release measures

Personal precautions: Protective equipment must be worn.

Environmental precautions: None.

Methods of cleaning up: Do not create a powder cloud by using a brush or compressed air. Remove all sources of ignition. Contain and collect spillage with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations.

## 7. Safe handling and storage measures

Handling: Provide for appropriate exhaust ventilation and dust collection at machinery. For personal protection see section 8. Avoid direct contact with skin, eyes, and inhalation.

Advice on protection against fire and explosion: Provide appropriate exhausts ventilation at machinery and at places where dust can be generated. Avoid formation of dust and aerosols.

During processing, dust may form explosive mixture in air.

Storage: Store in cool and keep container tightly closed in a dry and well-ventilated place.

## 8. Exposure controls measures

Control parameter:

- TWA-PEL / STEL-PEL / Ceiling-PEL: -
- Bioindicator: -

Personal protective equipment:



- Respiratory protection: Wear protective masks.
- Hand protection: For prolonged or repeated contact use protective gloves. Materials: rubber and plastic.
- Eye protection: Use chemical splash goggles (ANSI Z87.1 or approved equivalent)
- Skin and body protection: Wear appropriate protective clothes.

Hygiene measures: Smoking and consuming are strictly prohibited in the workplace. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

|   |                                    |
|---|------------------------------------|
| Appearance (physical state, color, etc.): solid, as the name of product | Odor: odorless                     |
| Odor threshold: -   | Melting point: >60°C               |
| pH value: N/A   | Boiling point / boiling range: N/A |
| Flammability (solid, gas): N/A  | Flash point: 370°C (698°F)         |
| Decomposition temperature: N/A  | Test method: Open cup    Close cup |
| Auto ignition temperature: N/A  | Explosion limits: -                |
| Vapor pressure: -   | Vapor density: -                   |
| Density (water=1): 1.15~1.8g/cm <sup>3</sup>                            | Solubility: Insoluble in water     |
| Partition coefficient (n-octanol / water): -                            | Evaporation rate: -                |

Note: The physical data presented above are typical values and should not be construed as a specification.

## 10. Stability and reactivity

|   |
|---|
| Stability: Stable at ordinary temperature.                              |
| Possible hazardous reactions occurring under specific conditions: None. |
| Conditions to avoid: None.  |
| Materials to avoid: None.   |
| Hazardous decomposition products: None.                                 |

## 11. Toxicological information

|                           |
|---------------------------|
| Routes of exposure: None. |
| Symptoms: None.           |



Acute toxicity: None.

Chronic toxicity or long-term toxicity: None.

## 12. Ecological information

Ecotoxicity: None.

Persistence and degradability: Not detective.

Bio accumulative potential: Not detective.

Mobility in soil: Not detected.

Other adverse effects: Possible environmental impact, almost insoluble in water when released into water.

## 13. Waste disposal measures

Methods of waste disposal: For disposal, incinerate or landfill at a permitted facility in accordance with local, state, and federal regulations.

## 14. Transport information

IATA / ICAO: None.

IMDG code: None.

Domestic regulations for transport: Please comply with traffic rules.

Be sure to keep the product packed when shipping.

Marine pollutants: None.

Special shipping methods and precautions: None.

## 15. Regulatory information

|             |   |
|-------------|---|
|             | Dust Hazard Work Standard   |
| Applicable  | Traffic Safety Regulation   |
| regulations | Regulation of Labelling and Hazard Communication of Hazardous Chemicals |
|             | Occupational Safety and Health Facilities Rule                          |

## 16. Other information

|                  |  |
|------------------|--|
| References       | Product correlation data   |
| Data prepared by | Company: KwoLin Co., Ltd.  |
|                  | Address / Telephone: No. 19, Gongye 15 <sup>th</sup> Rd., Taiping Dist., |



|             |  |                      |
|-------------|--|----------------------|
|             | Taichung City 411014, Taiwan (R.O.C.) / +886-4-22716619  |                      |
| Prepared by | Position: Section Manager  | Name: Ching-Fu, Chen |
| Date        | 2023/01/12   |                      |
| Note        | <p>The information provided in the Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.</p> |                      |